

INDEX MAPS.

T. 14 N. R. 10 E. 2nd Mer.

	261	261	260	260	260	259						
263	6	283	5	279	4	275	3	271	2	267	1	257
	285	283	279	275	271	267						
263	7	282	8	279	9	275	10	270	11	266	12	258
	284	282	278	274	270	266						
262	18	282	17	278	16	274	15	270	14	266	13	258
	284	281	277	273	269	265						
262	19	281	20	277	21	273	22	269	23	265	24	258
	284	281	277	273	269	265						
262	30	280	29	276	28	272	27	268	26	264	25	257
	283	280	276	272	268	264						
261	31	280	32	276	33	271	34	267	35	264	36	257
	256	256	256	255	255	255						

T. 15 N. R. 10 E. 2nd Mer.

	292	292	292	291	291	291						
294	6	315	5	311	4	307	3	303	2	299	1	290
	317	315		311		307		303		299		
294	7	315	8	311	9	307	10	302	11	299	12	290
	317	314		310		306		302		298		
294	18	314	17	310	16	306	15	302	14	298	13	290
	316	314		309		305		301		297		
293	19	313	20	309	21	305	22	301	23	297	24	289
	316	313		309		305		301		297		
293	30	312	29	308	28	304	27	300	26	296	25	289
	316	312		308		304		300		296		
293	31	312	32	308	33	304	34	300	35	296	36	289
	288	288		288		287		287		287		

The figures on the lines refer to the page.

287

Township N. 15 North, Range N. 10 East 2. Mer. Ind.^a
Ch. 1/2 lks

South Boundary var. E. 45' E.

West On S. boundary of Sec. 36

11.62 a W. ash 33 in. diam.

33.00 a Creek 40 lks. wide at S. W.

40.00 Set of Sec. post, from which

a Tree 10 in. diam. (bray) S 60 E 13 lks. dist. of
a Sugar 9 " " " N 47 W 11 " "

51.00 a Creek 75 lks. wide Course S.

80.00 Set post Cor. to Secs. 35 & 36, from which
a Tree 18 in. diam. (bray) S 70 E 21 lks. dist. of
a do. 10 " " " N 50 E 18 " "

Good farming land, Sugar, Beech, Walnut
ash, Hickory, Buckeye &c. undergrowth
Spice and Pawpaw

West On S. boundary of Sec. 35

7.97 an Elm 33 in. diam.

40.00 Set of Sec. post, from which

an Ash 30 in. diam. (bray) S 15 W 14 lks. dist. of
a Sugar 18 " " " N 37 W 26 " "

49.63 a Walnut 48 " " "

80.00 Set post Cor. to Secs. 34 & 35, from which

a Buckeye 10 in. diam. (bray) N 36 E 11 lks. dist. of
a do. 12 " " " S 44 W 32 " "

Level wet land, Elm, ash, Buckeye,
Sycam, Oak, Hickory &c. undergrowth Spice &c

West On S. boundary of Sec. 34

20.44 a W. ash 36 in. diam.

33.00 a Creek 30 lks. wide at S. W.

40.00 Set of Sec. post, from which

a Sugar 9 in. diam. (bray) S 39 E 9 lks. dist. of
a do. 10 " " " N 22 E 18 " "

80.00 Set post Cor. to Secs. 33 & 34, from which
a Sugar 24 in. diam. (bray) N 78 E 8 lks. dist. of
a do. 8 " " " S 8 W 7 " "

288

T⁵ N. R¹⁰ E. 2^d Mer. Indianach. 2^{ly}

Good farming land, Angar, Beech, Elm,
Ash, Poplar, Sycm &c. underg^d. Spruce, pawpaw

Nest On S. boundary of Sec. 33

37.00 to a Maple & Ash Swamp

40.00 At gr. Sec. post, from which

an Ash 18 in. dia^r, bray S 33 E 19 lb. dist. of

a do. 6 " " " S 56 W 10 " "

48.03 an Ash 20 " "

50.00 leave the Swamp

80.00 At post Cor. to Sec. 32 & 33, from which

an Elm 18 in. dia^r, bray S 55 W 15 lb. dist. of

a do. 12 " " " S 79 W 39 " "

Land timber &c. same as on last mile

Saturday July 17th, 1819

Nest On S. boundary of Sec. 32

40.00 At gr. Sec. post, from which

a Beech 7 in. dia^r, bray N 53 W 7 lb. dist. of

a Angar 14 " " " N 80 E 25 " "

80.00 At post Cor. to Sec. 31 & 32, from which

a Beech 8 in. dia^r, bray N 15 W 13 lb. dist. of

a do. 8 " " " S 11 W 15 " "

Rich level land, Angar, Beech, Ash, Sycm,
Poplar, ash, Hick^y, undg^d. Spruce & Pawpaw

Nest On S. boundary of Sec. 31

20.70 a W. Oak 24 in. dia^r

40.00 At gr. Sec. post, from which

a Angar 14 in. dia^r, bray N 42 E 32 lb. dist. of

a Beech 8 " " " S 25 W 17 " "

51.70 a do 30 " "

73.48 Intersected Township Corner

Level wet Land, timber Ash, Elm

Oak, Hickory &c.

289

N 15 N R 10 E. 2^d Mer. Indiana
ch. 2^d 1/2

East Boundary var. 7° 10' E.
North On E. boundary of Sec. 36
16.85 a Sugar 18 m. dist.
40.00 Let gr. Sec. post, from which
an Elm 20 m. dist. (bray) S 13 E 17 lks. dist. of
a Buckeye 10 " " " S 21 N 23 " "
51.50 a Creek 30 lks. wide Cr. S. W.
61.70 a Beech 18 m. dist.
80.00 Let post Cor. to Sec. 25 of 36, from which
a ——— 13 m. dist. (bray) S 47 E 8 lks. dist. of
a Do. 8 " " " S 46 N 22 " "
Over good farming land, timber Beech,
Sugar, Ash, &c. underg^d. Spruce &c.

North On E. boundary of Sec. 25
23.50 a Beech 16 m. dist.
40.00 Let gr. Sec. post, from which
a Beech 24 m. dist. (bray) S 82 E 4 lks. dist. of
a Do. 20 " " " S 61 N 40 " "
69.40 an Ash 14 " " "
80.00 Let post Cor. to Sec. 24 of 25, from which
a Beech 24 m. dist. (bray) S 67 N 3 lks. dist. of
a Do. 8 " " " ——— " "
Over level land, timber Beech, Ash, Elm,
&c. underg^d. Spruce &c.

North On E. boundary of Sec. 24
17.22 an Ash 14 m. dist.
40.00 Let gr. Sec. post, from which
a Beech 8 m. dist. (bray) S 17 N 40 lks. dist. of
an Ironw. 6 " " " S 30 E 9 " "
80.00 Let post Cor. to Sec. 13 of 24, from which
a ——— 15 m. dist. (bray) S 24 E 10 lks. dist. of
a Beech 16 " " " S 35 N 17 " "
Over rich land wth timber Oak, Beech,
Ash &c.

290 T^h 5th N E. 2^d Mer. Indiana

North On E. boundary of Sec. 13

20.10 at Beech 10 m. dist.

40.00 Set q. Sec. post, from which
at Beech 14 m. dist. bear S 46° W 25 lks. dist. of
a do. 12 " " " N 21 E 9 " "

68.08 at Beech 20 " "

80.00 Set post Cor. to Sec. 12 of 13, from which
at Beech 13 m. dist. bear S 37° W 26 lks. dist. of
a " 6 " " " N 28 E 5 " "

Land timber &c. same as on last mile

North On E. boundary of Sec. 12

31.00 at Brook 10 m. wide Corns S. W.

40.00 Set q. Sec. post, from which
an Ash 20 m. dist. bear N 49° E 11 lks. dist. of
a do. 8 " " " S 7° W 16 " "

55.80 at Beech 20 " "

80.00 Set post Cor. to Sec. 11 of 12, from which
a Sugar 13 m. dist. bear S 50° E 17 lks. dist. of
at Beech 14 " " " N 20° W 48 " "

Over level wet land, timber Oak, Beech
&c. under ^{to} Spruce &c.

North On E. Boundary of Sec. 1

17.80 at Beech 18 m. dist.

40.00 Set q. Sec. post, from which
an Elm 7 m. dist. bear S 9° W 11 lks. dist. of
at Beech 20 " " " N 8° W 38 " "

46.99 a do 16 " "

73.57 Set post Cor. to Township 15 of 16 North, of
Range 10 of 11 East, from which
at Beech 16 m. dist. bear N 76° W 18 lks. dist. of
a do. 16 " " " N 83° E 47 " "

Over level land timber as above

July 17th 1819

291
T15 N R10 E, 2^d Mer. Indiana
Ch. L. M.

North Boundary.

West On S. boundary of Sec. 36, T16 N, R10 E.

23.50 a Creek 50 lks, (wide Course S,

40.00 Set of Sec. post, from which

a Beech 14 m. dist, brang N 72 E 25 lks, dist of
an Ash 12 " " " S 117 N 32 " "

61.00 a Span, Oak — " "

80.00 Set post Cor. to Sec. 35 of 36, from which

a Sugar 14 m. dist, brang N 68 E 23 lks, dist of
a Beech 8 " " " S 197 N 7 " "

Over good farming land, timber Beech,
Sugar &c, undergth Spruce

West On S. boundary of Sec. 35, T16 N, R10 E

31.50 a Beech 20 m. dist,

40.00 Set of Sec. post, from which

a Beech 12 m. dist, brang S 29 E 19 lks, dist of
a Do. 10 " " " S 42 N 22 " "

54.20 a W. Oak 24 " "

72.50 a Brook 10 lks, (wide Course S,

80.00 Set post Cor. to Sec. 34 of 35, from which

a — 6 m. dist, brang S 75 E 42 lks, dist of
a Do. 20 " " " S 52 N 6 " "

Land timber &c, same as on last mile

West On S. boundary of Sec. 34, T16 N, R10 E.

26.30 an Ash 12 m. dist,

40.00 Set of Sec. post, from which

a Beech 13 m. dist, brang S 73 E 25 lks, dist of
a Sugar 12 " " " N 76 N 22 " "

44.36 a Beech 20 " "

80.00 Set post Cor. to Sec. 33 of 34, from which

a Beech 20 m. dist, brang S 82 E 15 lks, dist of
a Do. 9 " " " S 88 N 15 " "

Level land, timber Beech, Sugar, Poplar &c,
undergth Spruce

292 West R10 E. 2nd Mer. Indiana

ch²ly
 West On S. boundary of Sec. 33, T16 S. R10 E.
 20.30 an Oak 20 in. dia.
 40.00 Set q^r. Sec. post, from which
 a Beech 8 in. dia. bray S64 E 2 lks. dist. of
 a — 9 " " " S86 W 32 " "
 52.15 a Sugar 36 " "
 80.00 Set post Cor. to Sec. 32 & 33, from which
 an Elm 12 in. dia. bray S29 E 15 lks. dist. of
 a Buckeye 7 " " " N37 W 15 " "
 Over level wetland, timber Elm, Beech
 Hickory &c. July 18. 1819

West On S. boundary of Sec. 32, T16 S. R10 E.
 18.50 a Creek 50 lks. wide Course S.
 40.00 Set q^r. Sec. post, from which
 a Beech 20 in. dia. bray N62 E 44 lks. dist. of
 a Do. 10 " " " N11 W 4 " "
 50.26 a Beech 14 " "
 51.74 a Creek 40 lks. wide Course N.
 80.00 Set post Cor. to Sec. 31 & 32, from which
 a Sugar 14 in. dia. bray East 21 lks. dist. of
 a Do. 10 " " " N54 W 43 " "
 Over good farming land timber, Beech,
 Sugar, Ash &c. undergrowth Spruce

West On S. boundary of Sec. 31, T16 S. R10 E.
 22.40 an Ash 40 in. dia.
 40.00 Set q^r. Sec. post, from which
 a Beech 15 in. dia. bray S37 E 36 lks. dist.
 a — 9 " " " West 25 " "
 70.50 a Beech 14 " "
 73.17 Intersected the Township Corner at the
 Corner. Over good farming land, timber
 Beech, Sugar Ash &c. undergrowth
 Spruce &c.

T15 N R11 E, 2nd Mer. Indiana 293
ch²th

West Boundary. var. 7⁰⁰ E
North On E. boundary of Sec. 36, T15 N, R9 E.
27.90 at Beech 16 in. dia.
40.00 Set q. Sec. post, from which
a Beech 13 in. dia. bray S60 E 26 ch. dist. of
an Ash 30 " " " N16 E 8 " "
57.20 a Creek 30 ch. wide Course N.
59.18 a Sycamore 20 in. dia.
80.00 Set post Cor. to Sec. 25 of 36, from which
a Cherry 30 in. dia. bray S44 E 47 ch. dist. of
at Beech 16 " " " N5 E 27 "
Over level wet land, timber Beech, Elm
Ash, &c. undergth. Spruce

North On E. boundary of Sec. 25, T15 N, R9 E
34.14 at Beech 12 in. dia.
40.00 Set q. Sec. post, from which
a Beech 24 in. dia. bray S55 E 23 ch. dist. of
a Do. 10 " " " N64 W 22 " "
51.50 an Elm 24 " "
80.00 Set post Cor. to Sec. 24 of 25, from which
a Maple 20 in. dia. bray N75 E 10 ch. dist. of
an Elm 20 " " " S27 W 26 " "
Over good farming land, timber Beech,
Sugar, Ash &c. undergth. Spruce

North On E. boundary of Sec. 24, T15 N, R9 E,
40.00 Set q. Sec. post, from which
an Ash 8 in. dia. bray S34 W 6 ch. dist. of
a maple 20 " " " N78 E 6 " "
47.74 at Beech 14 " "
80.00 Set post Cor. to Sec. 13 of 24, from which
a Beech 14 in. dia. bray S27 E 10 ch. dist. of
a Do. 11 " " " N58 W 14 " "
Over level wet land, timber Elm, Hickory
&c. undergth. Spruce.

294 T15 N. R10 E. 2nd Mer. Indiana

ch. lly

North On E. boundary of Sec. 13, T15 N. R9 E.

11.20 at Beech 13 m. dist.

40.00 Set of Sec. post, from which
an Ash 22 m. dist. bearing N 61 W 5 lks. dist. of
a Beech 12 " " " N 21 E 28 " "

54.32 an Elm 18 " "

80.00 Set post Cor. to Sec. 12 of 13, from which
at Beech 10 m. dist. bearing N 3 E 11 lks. dist. of
an Ash 20 " " " N 18 E 13 " "
Over good farming land, timber Beech,
Sugar, Ash, &c. underg^d Spruce

North On E. boundary of Sec. 12, T15 N. R9 E.

32.84 an Elm 12 m. dist.

40.00 Set of Sec. post, from which
at Buckeye 7 m. dist. bearing N 16 E 15 lks. dist. of
a Walnut 24 " " " N 16 E 21 " "

51.50 at Brook 10 lks. wide Cr. Co.

62.84 a Poplar 36 m. dist.

80.00 Set post Cor. to Sec. 1 of 12, from which
at Beech 18 m. dist. bearing N 71 E 6 lks. dist. of
a Buckeye 13 " " " S 33 W 9 " "
Land timber &c. same as on last mile

North On E. boundary of Sec. 1, T15 N. R9 E.

14.18 a Sugar 14 m. dist.

40.00 Set of Sec. post, from which
at Beech 8 m. dist. bearing N 61 W 24 lks. dist. of
an Ash 22 " " " N 18 E 25 " "

56.40 a Beech 18 " "

77.69 Set post Cor. to Township, 15 of 16 North, of
Range 9 of 10 East, from which
at Beech 10 m. dist. bearing S 89 E 11 lks. dist. of
a Do. 10 " " " S 44 E 16 " "
Over good farming land, timber Beech,
Sugar, Poplar &c. underg^d Spruce.

295
T15 N. R10 E. 2^d. Mer. Indiana
ch. 1st

July 30th 1819
Surveyed By John M. McDonald,
Deputy Surveyor Comp

Subdivision.

Chainman's Oath.

I Oador Gantt, do solemnly swear in the presence of Almighty God, that in all measurements, in which I shall be employed as a chain carrier in the Public Survey, I will faithfully and impartially execute the duties of the trust reposed in me to the best of my skill and abilities, so help me God,

Oador Gantt

Sworn and Subscribed before me this 16th day of June 1820 A. Wallace, D.S.

I Hannah C. Perring, do solemnly swear in the presence of Almighty God, that in all measurements, in which I shall be employed as a chain carrier in the Public Survey, I will faithfully and impartially execute the duties of the trust reposed in me to the best of my skill and abilities, so help me God,

Hannah C. Perring

Sworn and Subscribed before me this 16th day of June 1820. A. Wallace, D.S.

I Atram Palmer, do solemnly swear in the presence of Almighty God, that in all measurements, in which I shall be employed as a chain carrier in the Public Survey, I will faithfully and impartially execute the duties of the trust reposed in me to the best of my skill and abilities, so help me God

Atram Palmer

296 N 15 N E 40 E, 2nd Mer. Indiana
ch. lks

Sworn and subscribed before me this
7th day of July 1820,
A. Wallace, D. S.

North Between Secs. 35 & 36

21.50 a Sugar 6 in. dia.

40.00 Set of Sec. post, from which
a Maple 7 in. dia. bray N 80 E 20 lks. dist. of
a Beech 6 " " " N 75 W 10 " "

60.80 at Beech 16 " "

80.00 Set post Cor. to Secs. 25 & 26, 35 & 36, from
which Beech 14 in. dia. bray West 12 lks. dist. of
an Elm 4 " " " S. E 10 " "
Land level 2nd rate, timber Beech, Ash,
Oak, Elm, Buckeye &c. undgth Spruce

East On Land m. between Secs. 25 & 36

7.00 a stream 50 lks. wide Cr. S.

40.00 Set temp. q. Sec. post

79.38 Intersected the E. boundary 154 lks. S. of post
Land level 2nd rate, timber Beech, Ash,
Sugar, Elm &c. undgth Spruce

West Corrected between Secs. 25 & 36.

35.00 a Beech 10 in. dia.

39.69 Set q. Sec. post at average dist. from which
a Cherry 4 in. dia. bray N 80 E 8 lks. dist. of
an Elm 4 " " " N 40 W 18 " "

60.00 an Ash 7 " "

79.38 to Sec. Corner.

North Between Secs. 25 & 26

10.00 a stream 50 lks. wide Corner S. E.

22.00 at Beech 8 in. dia.

29.00 a stream 50 lks. wide Cr. S. W.

40.00 Set q. Sec. post, from which

S 15 N R 10 E, 2nd Mer. Indiana 297
ch. lks

an Elm 9 mi. dist. by S 80 W 15 lks. dist. of
a Hickory 6 " " " N 30 E 50 " "
57.00 an Elm 30 " "
80.00 Let post Cor. to Sec. 23, 24, 25 & 26, from which
a Sugar 7 mi. dist. by S. W. 5 lks. dist. of
at Beech 16 " " " N 60 E 8 "
Land level 2nd rate, timber Beech, Ash, Oak
Elm, undergrd. Spruce &c.

East On Rand^m. between Sec. 24 & 25
27.00 a stream 50 lks. wide Corner South
40.00 Let timber, of Sec. post
79.48 intersected the st of S. line 170 lks. S. of post
Land timber &c. Same as on East mile

West Connected between Sec. 24 & 25
19.00 an Elm 10 mi. dist.
39.74 Let of Sec. post at average dist. from which
at Beech 16 mi. dist. by S 80 E 30 lks. dist. of
a do. 12 " " " S 65 W 10 " "
57.00 at Rushville 16 " "
79.48 to Sec. Corner.

North Between Sec. 23 & 24
23.50 at Beech 16 mi. dist.
40.00 Let of Sec. post, from which
at Beech 6 mi. dist. by S 80 E 30 lks. dist. of
a do. 20 " " " N 15 W 15 " "
56.00 a Beech 16 " "
80.00 Let post Cor. to Sec. 13, 14, 23 & 24 from which
at Beech 8 mi. dist. by S. W. 12 lks. dist. of
a do. 30 " " " S. E 20 " "
Land level 2nd rate, timber Beech, Ash,
Sugar &c. undergrd. Spruce &c.

East On Rand^m. between Sec. 13 & 24

298

S 5 N 121 E 2^d Mer. Indiana

ch. lky
 15.00 a stream 50 lky, wide Corner S.
 40.00 set tump. gr. Sec. post
 79.20 intersected E. boundary 186 lky. S. of post
 Sand timber &c. same as on last mile

West Corrected between Sec. 13 & 24

15.00 a Beech 12 in. dia.
 39.60 set gr. Sec. post at average dist. from which
 a Spr. Ash 6 in. dia. (bray) 20 E 8 lky. dist. of
 a Beech 10 " " " N 6 W 20 "
 55.00 a Beech 14 " "
 79.20 to Sec. Corner. July 9th 1820. A. Wallace

North Between Sec. 13 & 14

21.00 an Oak 18 in. dia.
 40.00 set gr. Sec. post, from which
 a Beech 14 in. dia. (bray) 15 E 12 lky. dist. of
 a do. 20 " " " West 20 "
 60.00 a Sugar 16 "
 80.00 set post Cor. to Sec. 11, 12, 13 & 14, from which
 an Ash 4 in. dia. (bray) South 5 lky. dist. of
 a do. 5 " " " N 50 E 6 "
 Sand timber &c. same as on last mile

East On Randm. between Sec. 12 & 13

40.00 set tump. gr. Sec. post
 42.00 a stream 50 lky, wide Corner S.
 79.00 intersected E. boundary 100 lky. S. of post
 Sand timber &c. same as on last mile

West Corrected between Sec. 12 & 13

18.00 a Lym 7 in. dia.
 39.50 set gr. Sec. post at average dist. from which
 a Beech 14 in. dia. (bray) N. W 7 lky. dist. of
 an Oak 6 " " " N. E 4 " "
 57.00 a Hickory 20 " "

15 N. N. W. E. 2^d Mer. Indiana 299
ch. l. h.
79.00 to Sec. Corner.

North Between Sec. 1, 11 & 12

15.00 a Stream 4 l. h. wide Course S. E.

20.00 an Elm 14 in. dia.

40.00 Set gr. Sec. post, from which

a Beech 12 in. dia. bray S. N. 7 l. h. dist. of

a Sugar 6 " " " S. W. 8 " "

57.50 a Beech 20 " "

80.00 Set post Corners Sec. 1, 2, 11 & 12, from which

a Beech 9 in. dia. bray S. W. E. 14 l. h. dist. of

a Sugar 3 " " " S. W. 12 " "

Land level 2^d rate timber Beech, Ash, Oak
Elm, &c. under 7th Spruce &c.

East On Road^m, between Sec. 1 & 12

40.00 Set trippt. gr. Sec. post

54.00 a stream 50 l. h. wide Course S.

79.00 Intersected the N. & S. line 14 l. h. S. of post
Land timber &c. Same as on the last mile

West Corried between Sec. 1 & 12

18.00 an Elm 10 in. dia.

39.50 Set gr. Sec. post at average dist. from which

an Oak — in. dia. bray South 20 l. h. dist. of

an Elm 12 " " " S. W. 28 " "

56.00 a Hackberry 10 in. dia.

79.00 to Section Corner.

North Between Sec. 1 & 2

17.00 a Beech 10 in. dia.

40.00 Set gr. Sec. post, from which

a Beech 12 in. dia. bray S. W. 13 l. h. dist. of

a Do. 9 " " " S. E. 15 " "

61.00 an Oak 20 " "

79.42 Intersected N. boundary 115 l. h. E. of post

St. N. R. W. E. 2^d. Mer. Indiana

ch. l. by

Let post Cor. to Sec. 1 of 2, from which
a Sugar 20 in. diam. bray S 20 W 18 lbr. dist. of
a Beech 9 " " " S 70 E 20 " "
Sand timber &c. Same as on last mile
July 10th. 1820. A. Wallace

North Between Sec. 34 & 35

18.00 a Beech 9 in. diam.

40.00 Let gr. Sec. post, from which
a Beech 20 in. diam. bray N 40 W 25 lbr. dist. of
a Do. 18 " " " S. E. 28 " "

60.00 a Beech 5 " "

80.00 Let post Cor. to Sec. 26, 27, 34 & 35, from which
an Ash 7 in. diam. bray North 8 lbr. dist. of
a Do. 10 " " " N 60 E 7 " "
Sand level 2^d. rate, timber Beech, Ash,
Oak, Elm, &c. undergth. Spruce &c.

East On Land gr. between Sec. 26 & 35

40.00 Let temp^y. gr. Sec. post

80.50 Intersected the N & S. line at the post
Sand timber &c. Same as on the last mile

West Corrected between Sec. 26 & 35

15.00 a Maple 24 in. diam.

40.25 Let gr. Sec. post at average dist. from which
an Ash 12 in. diam. bray S. E. 18 lbr. dist. of
an Oak 40 " " " S 30 W 10 " "

55.00 a Beech 14 " "

80.50 to Sec. Corner.

North Between Sec. 26 & 27

19.00 a Beech 14 in. diam.

40.00 Let gr. Sec. post, from which
a Sugar tree 8 in. diam. bray North 10 lbr. dist. of
an Ironwood 6 " " " S 20 E 8 " "

301

715 N. R. N. E. 2nd Mer. Indiana

ch. P. Lm

59.75 an Ash 9 in. dia.

80.00 Let post Cor. to Sec. 22, 23, 26, 27, from which
a Hickory 16 in. dia. bay South 8 lbs. dist. of
a Gum 7 " " " S. E. 3 " "
Land level, timber Beech, Ash, Angar, Elm
& Oak, undergth, Spruce &c

East On Rand^m between Sec. 23 & 26

40.00 Let temp^y. of Sec. post

80.50 Intersected the N of S. line 50 lbs. N. of post
Land level 2nd rate, timber Beech, Ash, Oak,
Elm &c. undergth, Spruce &c.

West Corrected between Sec. 23 & 26

21.00 at Beech 2 in. dia.

40.25 Let of Sec. post, from which
a Angar 6 in. dia. bay North 4 lbs. dist. of
a Beech 6 " " " N 10 N 12 " "

61.50 at Beech 16 " "

80.50 to Sec. Corner.

North Between Sec. 22 & 23

20.00 a Hickory 10 in. dia.

40.00 Let of Sec. post, from which
an Ash 16 in. dia. bay S. E. 3 lbs. dist. of
a Gum 6 " " " N 70 N 14 " "

65.00 a Hickory 10 " "

80.00 Let post Cor. to Sec. 14, 15, 22 & 23, from which
a Beech 30 in. dia. bay North 15 lbs. dist. of
a Ho. 10 " " " S. E. 30 " "
Land timber &c. Same as on last mile

East On Rand^m between Sec. 14 & 23

40.00 Let temp^y. of Sec. post

80.50 Intersected the N of S. line 50 lbs. N. of post
Land timber &c. Same as on the last mile

302

S 15 N. N 10 E. 2nd Mer. Indiana

ch. 1/4

West Corrected between Sec. 14 & 23

20.00 an Oak 36 mi. dist.

40.25 at gr. Sec. post, at average dist. from which
a Beech 24 mi. dist. (by North 14 mi. dist.)
a Swp. Beech 5 " " " S 70 N 12 " "

62.00 a Beech 24 " "

80.50 to Sec. Cor. July 11th 1820. A. Wallace

North Between Sec. 14 & 15

25.00 at Beech 24 mi. dist.

40.00 at gr. Sec. post, from which
an Ash 3 mi. dist. (by West 3 mi. dist.)
a Syc — " " " N 30 E 12 " "

62.50 at Beech 24 " "

80.00 at post Cor. to Sec. 10, 11, 14 & 15, from which
a Sugar 30 mi. dist. (by S 70 E 20 mi. dist.)
at Beech 12 " " " N 80 W 8Land level 2nd rate, timber Beech, ash, Oak
Elm, Sugar, Buckeye &c. undug. Spruce &c.

East On Randm. between Sec. 11 & 14

40.00 at temp. gr. Sec. post

80.50 intersected the N & S line 20 mi. N. of post
Land timber &c. same as on East mile

West Corrected between Sec. 11 & 14

20.00 at Buckeye 12 mi. dist.

40.25 at gr. Sec. post, from which (at average dist.)
a Beech 7 mi. dist. (by South 8 mi. dist.)
a S — 5 " " " N. W. 4 " "

61.00 a Hickory 10 " "

80.50 to Sec. Corner

North Between Sec. 10 & 11

25.00 a Hickory 12 mi. dist.

40.00 at gr. Sec. post, from which

St 15 N N 10 E 2nd Mer. Indiana ³⁰³
ch. lky

an Ash 14 in. dia. bray S. W. 10 lky. dist. of
a Beech 8 " " " N 30 E 13 " "
62.00 an Ash 12 " "
80.00 At post cor. to Sec. 2, 3, 10 & 11, from which
a Beech 9 in. dia. bray S 10 W 20 lky. dist. of
an Ironw. 6 " " " N. E. 14 " "
Land level, timber Beech, Ash, Oak, Elm
&c. underg^d. Spruce

East On Randm. between Sec. 2 & 11
40.00 At temp^y. gr. See post
80.30 Intersected the N. of S. line 50 lky. N. of post
Land hilly timber Beech, ash, Oak, Poplar &c.
underg^d. Spruce &c.

West Corried between Sec. 2 & 11
20.00 an Elm 7 in. dia.
40.15 At gr. See. post at average dist. from which
a Beech 7 in. dia. bray West 8 lky. dist. of
a Sugar 12 " " " N 10 E 15 " "
60.00 an Ash 8 " "
80.30 to Sec. Corner

North Between Sec. 2 & 3
20.00 at Beech 24 in. dia.
40.00 At gr. See. post, from which
a Beech 10 in. dia. bray N 5 W 20 lky. dist. of
a Do. 16 " " " East 4
59.00 an Ash 40 " "
79.00 Intersected N. boundary 178 lky. E. of post
At post cor. to Sec. 2 & 3, from which
a Beech 20 in. dia. bray West 20 lky. dist. of
a Do 7 " " " N 85 E 12 " "
Land level, timber Beech Ash, Oak &c.
underg^d. Spruce. July 12th 1820. A. Wallace

304 T^h 5th N. W. E. 2^d. Mer. Indiana

ch^l 1/2

North Between Secs. 33 & 34

15.00 a Swamp Ash 12 in. dia^r.

17.00 a Swamp

28.00 dry land

40.00 Set q^r. Sec. post, from which

a Sugar 10 in. dia^r. bear N 70° W 16 lb. dist. of

a Cherry 14 " " " East 20 " "

57.00 enter a Swamp

62.00 an Elm 36 in. dia^r.

64.00 dry land

80.00 Set post Cor. to Secs. 27, 28, 33 & 34, from which

a Beech 6 in. dia^r. bear ——— lb. dist. of

a Do. 5 " " " East 8 " "

Land level 2^d. rate, timber Beech, Ash,
Elm, underg^d. Spruce &c

East On Rand^m. between Secs. 27 & 34

40.00 Setump^y. q^r. Sec. post

55.00 a Creek 50 lb. wide Course S.

80.70 Intersected the N & S. line 129 lb. S. of post

Land timber &c. Same as on the last mile

West Connected between Secs. 27 & 34.

22.00 at Beech 14 in. dia^r. bear

40.35 Set q^r. Sec. post at average dist. from which

a Beech 7 in. dia^r. bear South 16 lb. dist. of

a Do. 14 " " " N 70° W 16 " "

61.00 a Sugar 10 " "

80.70 to Sec. Corner

North Between Secs. 27 & 28

23.00 at Beech 24 in. dia^r.

40.00 Set q^r. Sec. post, from which

at Beech 7 in. dia^r. bear N 80° E 12 lb. dist. of

an Elm 24 " " " N 60° W 20 " "

62.00 a Spruce 14 " "

305

T^h 5 N R¹⁰ E. 2^d Mer. Indiana

ch. 14th

80.00 Set post cor. to Sect. 21, 22, 27 & 28, from which
a Beech 14 m. diam. - bay S 25 E 20 lks. dist. of
a Dogw. 6 " " " N 30 W 16 " "
Land timber &c. same as on last mile

East On Rand^m between Sect. 22 & 27

40.00 Set temp^y. g^r. See. post

55.00 a ^ltticam 15 lks. wide Cr. S. W.

80.25 Intersected the N of S. line 20 lks. S. of post

Land timber &c. same as on the last mile

West Corrected between Sect. 22 & 27

20.00 a S. Ash 18 m. diam.

40.12¹/₂ Set g^r. See. post at average dist. from which
a Beech 9 m. diam. - bay West 10 lks. dist. of
a M. Oak 18 " " " S 20 W 20 " "

65.00 a Lym 18 " "

80.25 to See. Corner

North Between Sect. 21 & 22

23.00 a Beech 14 m. diam.

40.00 Set g^r. See. post, from which
an Elm - m. diam. - bay N 5 E 6 lks. dist. of
a S. Ash 7 " " " N 60 W 15 " "

61.00 a Beech 7 " "

80.00 Set post, Cor. to Sect. 15, 16, 21 & 22, from which
a Beech 36 m. diam. - bay S. E. 6 lks. dist. of
a Do. 7 " " " N 65 W 20 " "
Land timber &c. same as on last mile

East On Rand^m between Sect. 15 & 22

40.00 Set temp^y. g^r. See. post

80.00 Intersected the N of S. line 46 lks. S. of post
Land level, timber, Beech, Ash, Oak & Hickory
undergth. Spruce &c.

T^h 5th N. P. M. E. 2^d Mer. IndianaCh^h 1st

West Corrected between Sec. 15 & 22

19.50 a Beech 18 mi. dist.

40.00 at q^r. Sec. post at average dist. from which
a Beech 7 mi. dist. bear North 8th dist. of
a do. 40 " " " N 20 E 25 " "

61.50 a Beech 40 " "

80.00 to Sec. Cor. July 13th. 1820. A. Wallace

North Between Sec. 15 & 16

22.00 a Beech 9 mi. dist.

26.00 a stream 10th (wid. ev. S. W.40.00 at q^r. Sec. post, from which
an Elm 20 in dist. bear East 3th dist. of
an do. 16 " " " N 40 W 55 " "55.00 a stream 10th wide corner S. E.

65.00 an Elm 12 mi. dist.

80.00 at post cor. to Sec. 9, 10, 15 & 16 from which
a Beech 16 mi. dist. bear S 80 E 8th dist. of
an Elm 18 " " " N 80 W 9 " "Land level 1st rate, timber B. Ash, Oak, Elm
Beech &c. &c. undergth Spruce &c.East On Rand^m. between Sec. 10 & 1540.00 at temp^y. q^r. Sec. post

79.90 intersected the N & S. line at the post

Land level spot, timber Beech, ash, Poplar,
Oak & Hickory &c. undergth Spruce &c.

West Corrected between Sec. 10 & 15

20.00 a Beech 20 mi. dist.

39.95 at q^r. Sec. post at average dist. from which
a Beech 18 mi. dist. bear S 80 E 10th dist. of
a do. 16 " " " N. W. 15 " "

61.00 a Beech 14 " "

79.90 to Sec. Corner.

307

S. N. & P. W. Co. 2nd Mer. Indiana

ch. 16

North Between Sec. 9 & 10

25.00 a Blue Ash 16 in. dia.

40.00 Set of Sec. post, from which
a Beech 30 in. dia. - bray S. W. 8 lks. dist. of
a Do. 8 " " " N. W. E 25 " "

63.00 a Poplar 45 " "

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
a Sugar 9 in. dia. - bray West 5 lks. dist. of
a Buckeye 5 " " " S. 20 E 28 "
Land level 2nd rate timber Beech, ash, Oak
Elm & Poplar &c. underg^d. Spruce &c.

East On Rand, between Sec. 3 & 10

18.50 enter a swamp

21.00 Dry land

40.00 Set temp. of Sec. post

79.92 intersected the N. & S. line 30 lks. S. of post
Land hilly, timber Beech, Ash, Oak & Elm
underg^d. Spruce

West Correlated between Sec. 3 & 10

19.50 a Beech 24 in. dia.

39.96 Set of Sec. post at average dist. from which
a Beech 20 in. dia. - bray N. W. 3 lks. dist. of
a Do. 16 " " " S. 5 E 8 " "

58.00 a Beech 9 " "

79.92 to Sec. Corner.

North Between Sec. 3 & 4

21.00 a Beech 18 in. dia.

40.00 Set of Sec. post, from which
a Buckeye 6 in. dia. - bray N. W. 5 lks. dist. of
a Beech 6 " " " East 12 " "

62.00 a Beech 14 " "

80.00 Intersection N. Boundary 300 lks. E. of post
Set post Cor. to Sec. 3 & 4, from which

S. N. P. O. E. 2^d. Mer. Indiana

chth

at Beech 7 mi. dir. bray West 3th. dist. of
a do. 5 " " " S. E. 4 " "
Land level 2^d. rate, timber Beech, Ash &c.
under 7th. Spruce.

North Between Secs. 32 & 33

20.85 at Beech 6 mi. dir.

40.00 at gr. Sec. post, from which
a W. Oak 18 mi. dir. bray — 20th. dist. of
a Sugar 10 " " " N 80 W 15 " "

57.00 at W. Oak 16 " "

80.00 at post Cor. to Secs. 28, 29, 32 & 33, from which
a P. Oak 16 mi. dir. bray N. 25th. dist. of
a Buckeye 7 " " " N 20 " "
Land timber &c. same as on last mile

East On Rand. between Secs. 28 & 33

40.00 at temp. gr. Sec. post

81.50 intersected the S. of S. line 100th. S. of post
Land timber &c. same as on last mile

West Corrected between Secs. 28 & 33

23.00 at Sugar 8 mi. dir.

40.75 at gr. Sec. post at average dist. from which
a S. Ash 10 mi. dir. bray N 50 W 10th. dist. of
an Elm 10 " " " East 10 " "

62.00 at Red Oak 24 " "

81.50 to Sec. Corner

North Between Secs. 28 & 29

17.00 at Beech 18 mi. dir.

40.00 at gr. Sec. post, from which
a Beech 9 mi. dir. bray S 5 W 2th. dist. of
a Sugar 11 " " " N 5 E 18 " "

61.00 at Hickory 12 " "

80.00 at post, Cor. to Secs. 20, 21, 28 & 29, from which

Ch^o. 16th
an Elm 40 in. dia. bray st. 12 lbs. dwt. of
a Beech 5 " " 1818 20 " "
Land level 4 feet, timber Beech, Elm, Oak
Ash, &c. under 1st Spruce

40.00 Lettump^y. g^r. Dec. post

81.10 Entered at the N of Mine at the post.
Land, locust, timber Birch, ash, Oak &c.
under the Spruce &c.

21.00 a R. Ash 16 mi. Nat.

40.55 Lt of. See. boat at average dist. from which
anchored 18 mi. dist. (bearing N 60 E 20 mi. dist. of
anchor 4 " " " S. W. 5 " "

87.10 to Sec. Corner

24.00 at Beech 9 mi. dist.

40.00 Set gr. Sec. post, from which
a Logar 24 mi. dist. Bray 110 N 12 (br. dist. 9
a do. 18 " " N 157 25 " "

63.00 a Lynn 14 mi. dist.

80.00 At Great Con. to Dec. 16, 17, 20 & 21, from which
a Buckeye 8 mi. dist. from N 15 W 12 lks. dist. of
ad. Dec. 6 " " " S.E. 8 "
Land 2nd rate, timber Beech, Ash, Oak & Elm
under Spruce &c.

40.00 Let temp. of Dec. post

64.00 a Stream 15 lks. wide Course S.

81.15 Intersected the the N of S line at the post

310 S. N. R. W. E. 2nd Mer. Indiana
ch. lky
Land level 1st rate, timber Beech, Ash, Oak
Elm & Sugar, underg^g Spruce &c.

Met Corrected between Sec. 16 of 21
22.50 a W. Ash 60 mi. dist.
40.57 Set q. Sec. post, at average dist. from which
a Sugar 14 mi. dist. by N 10 E 12 lky. dist. of
a Beech 24 " " " N 40 W 18 " "
62.00 a Do. 15 " "
81.15 to Section Corner.

North Between Sec. 16 of 17
24.00 a Beech 20 mi. dist.
40.00 Set q. Sec. post from which
a Beech 5 mi. dist. by N 70 W 15 lky. dist. of
a Do. 20 " " " East 14 " "
59.50 a Sugar 18 " "
80.00 Set post cor. to Sec. 8, 9, 16 of 17, from which
a Beech 36 mi. dist. by South 3 lky. dist. of
a Do. 8 " " " N 5 E 15 " "
Land level 1st rate, timber Beech, Ash, Oak
Elm, Walnut & Sugar, underg^g Spruce &c.

East Out Road m. between Sec. 9 of 16
25.00 enter a Swamp
35.00 dry land
40.00 Set temp. q. Sec. post
81.00 Intersected the N of S line 8 lky. S. of post
Land timber &c. same as on the last mile

Met Corrected between Sec. 9 of 16
22.00 a P. Oak 60 mi. dist.
40.50 Set q. Sec. post at average dist. from which
a Beech 30 mi. dist. by N 5 W 20 lky. dist. of
a Do. 7 " " " S 70 E 18 " "
61.50 a Ash 18 " "

311

S 15 N 120 E 2^d Mer. Indiana

ch² l^h

81.00 to Section Corner

North Between Sect. 9 & 8

18.00 a W. ash 50 in. dia.

40.00 At gr. Sec. post, from which
a Sugar 12 in. dia. brang S. W. 8 l^h, dist. 5
a Beech 7 " " " N 10 E 14 " "

62.50 a Buckeye 12 " "

80.00 At post Cor. to Sect. 4, 5, 8 & 9, from which
a Beech 9 in. dia. brang S. E. 4 l^h, dist. 5
a Do. 9 " " " N 60 W 18 " "

Land rolling 1st rate, timber Beech, Ash, Oak
Elm & Walnut, underg^g Spruce &c.

East On Rand^m. between Sect. 4 & 9

40.00 At temp^g gr. Sec. post

81.00 Intersected the N gr. line at the post
Land timber &c. same as on last mile

West Corrected between Sect. 4 & 9

20.00 a Beech 36 in. dia.

40.50 At gr. Sec. post at average dist. from which
a Beech 12 in. dia. brang N 15 W 15 l^h, dist. 5
a Do. 14 " " " S 30 W 5 " "

62.00 a Beech 24 " "

81.00 to Sec. Corner.

North Between Sect. 4 & 5

21.00 a Beech 24 in. dia.

40.00 At gr. Sec. post, from which
a Beech 9 in. dia. brang N. E. 5 l^h, dist. 5
a Cherry 6 " " " N. W. 20 " "

60.50 a Sugar 36 " "

80.65 Intersected N. Boundary 300 l^h. E. of post
At post Cor. to Sect. 4 & 5, from which
a Beech 6 in. dia. brang S. W. 7 l^h, dist. 5

312

S. N. W. E. 2nd Mer. Indiana
ch. 1/4

a Sugar 14 in. dia. bray East 12 lks. dist.
Land uneven very good, timber Beech, Ash,
Elm, Oak & B. Walnut. underg^d Spruce &c.

North Between Secs. 31 & 32

26.50 a W. Oak 12 in. dia.

40.00 at gr. Sec. post, from which
a Beech 10 in. dia. bray S 20 E 12 lks. dist. of
a Do. 10 " " " N 50 E 13 " "

45.00 a Stream 10 lks. wide Cr. S. W.

55.00 a W. Oak 30 in. dia.

80.00 at post Cor. to Secs. 29, 30, 31 & 32, from which
a Muskray 15 in. dia. bray West 2 lks. dist. of
an Ironwood 5 " " South 15 " "
Land level & wet, timber Ash, Beech, Elm
Lycamore &c., underg^d Spruce &c.

East On Land m. between Secs. 29 & 32

5.00 a Stream 5 lks. wide Cr. S.

40.00 at temp. gr. Sec. post

81.45 intersected the N & S. line 75 lks. N. of post
Land level & wet, timber Beech, Ash, Elm,
underg^d Spruce &c.

West Corrected Between Secs. 29 & 32

22.00 an Elm 20 in. dia.

40.72 at gr. Sec. post, at average dist. from which
a Beech 30 in. dia. bray North 8 lks. dist. of
a Sugar 9 " " West 15 " "

62.00 a Beech 12 " "

81.45 to Sec. Corner.

North Between Secs. 29 & 30

25.00 a B. Walnut 40 lks. diam.

40.00 at gr. Sec. post, from which
a Beech 14 in. dia. bray S 25 W 6 lks. dist. of

313

S 15 N R 10 E. 2^d Mer. Indiana
ch. lks

at Beech 6 mi. dist. from N.W. 20 lks. dist. of
60.00 a W. Ash 24 " " " "
80.00 At post Cor. to Secs. 19, 20, 29 & 30, from which
a Beech 30 mi. dist. from S 10 W 12 lks. dist. of
a do. 14 " " " North 15 "
Land level 2^d rate, timber, Beech, Ash, Oak
etc. underg^t. Spruce etc.

East On Land^m between Secs. 20 & 29
5.00 enter a Swamp
20.00 to dry land
40.00 At temp. q^r. Sec. post
81.50 to Sec. Corner 38 lks. N. of post
Land timber etc. same as on last mile

West Corrected between Secs. 20 & 29
23.00 at Beech 10 mi. dist.
40.75 At q^r. Sec. post at average dist. from which
a Beech 14 mi. dist. from S 60 W 18 lks. dist. of
a do. 18 " " " S 10 E 25 " "
60.00 an Elm 10 " "
81.50 to Sec. Corner.

North Between Secs. 19 & 20
7.00 a stream 15 lks. wide or S. W.
18.00 a W. Oak 15 mi. dist.
40.00 At q^r. Sec. post, from which
a W. Elm 36 mi. dist. from S. W. 5 lks. dist. of
a W. Ash 10 " " " North 15 " "
60.00
80.00 At post Cor. to Secs. 17, 18, 19 & 20, from which
a Sugar 8 mi. dist. from N 60 W 8 lks. dist. of
at Beech 7 " " " S 80 E 7 " "
Land level 4th rate, timber, Beech, Ash, Elm etc.
underg^t. Spruce

314 T5 N 110 E. 2nd Mer. Indiana

Ch. 16th

East On Land 9^m. between Secs. 17 & 20

40.00 Set temp. q. Sec. post

81.50 Intersected the N & S. line 109 ch. N. of post
Land level 2nd rate, timber Beech, Ash, Oak
Elm, underg^d. Spruce

West Corrected between Secs. 17 & 20

25.00 a Sugar 16 mi. dist.

40.75 Set q. Sec. post at average dist. from which
a Sugar 12 mi. dist. bear S 20° W 25 ch. dist. of
at Beech 24 " " " N 5 E 15 " "

63.00 at Hickory 12 " "

81.50 to Sec. Corner

North Between Secs. 17 & 18

23.50 a W. Elm 14 mi. dist.

40.00 Set q. Sec. post, from which
a Beech 10 mi. dist. bear N. E. 5 ch. dist. of
a No. 10 " " " South 17 " "

59.00 a W. Oak 14 " "

80.00 Set post Cor. to Secs. 7, 8, 17 & 18, from which
a Sugar 8 mi. dist. bear N 60 E 18 ch. dist. of
at Beech 16 " " N 60 E 14 " "
Land level 4th rate, timber Beech, Ash, Oak
Elm &c. underg^d. Spruce.

East On Land 9^m. between Secs. 8 & 17

40.00 Set temp. q. Sec. post

81.60 Intersected the N & S. line 46 ch. S. of post
Land 1st rate, timber Beech, Ash, Oak
Elm, &c. underg^d. Spruce

West Corrected between Secs. 8 & 17

22.50 at Beech 30 mi. dist.

40.80 Set q. Sec. post at average dist. from which
at Blue Ash 16 mi. dist. bear East 15 ch. dist. of

St. N. W. E. 2^d. Mer. Indiana 315
chilly

a W. Ash 36 in. dia. bray S. W. 18 lbs. dist. of
63.00 a Sugar 12 " "
81.60 to Sec. Corner

North Between Sec. 7 & 8

27.50 a W. Elm 16 in. dia.

40.00 at gr. Sec. post, from which
a Buckeye 7 in. dia. bray N. W. 3 lbs. dist. of
a Beech 12 " " " S. W. 7 " "

61.00 a do. 18 " "

80.00 at post Co. to Sec. 5, 6, 7 & 8, from which
a Beech 11 in. dia. bray North 7 lbs. dist. of
a Sugar 5 " " " South 25 " "
Land hilly, 2^d rate, timber Beech, Ash, Oak
etc. underg. Spruce &c

East On Land 9^m. between Sec. 5 & 8

40.00 at timber gr. Sec. post

81.50 Intersected the N. of S. line 8 lbs. S. of post
Land 1st rate, timber Beech, Poplar, Elm, &c.
underg. Spruce &c.

West Corrected between Sec. 5 & 8

21.00 a Poplar 40 in. dia.

40.75 at gr. Sec. post at average dist. from which
a S. Beech 6 in. dia. bray 70 E 7 lbs. dist. of
a S. Ash 10 " " " N 60 W 12 " "

63.00 a Beech 12 " "

81.50 to Sec. Corner.

North Between Sec. 5 & 6

26.00 a W. Elm 50 in. dia.

40.00 at gr. Sec. post, from which
a Beech 10 in. dia. bray North 12 lbs. dist. of
a Buckeye 7 " " " N.E. 14 " "

60.00 a Beech 7 " "

316 S 15 N W E. 2^d Mer. Indiana

ch² 1/4
81.38 Intersected the N. boundary 135 p^{ks}.
E. of post - At post Cor. to Sec. 5 & 6, from which
a Beech 12 m. dia^r, bray N 70 W 7 p^{ks}. dist. of
a Do. 10 " " " East 10 " "
Land level 1 1/2^o rate, timber Beech, Ash,
Chm, undngth. Spruce &c.

West Between Sec. 30 & 31

20.50 a Hickory 12 m. dia^r.

40.00 At g^r. Sec. post, from which
an Ash 3 m. dia^r, bray N 5 E 8 p^{ks}. dist. of
an Elm 10 " " " East 10 " "

61.50 a Beech 9 " "

75.50 Intersected N. boundary 23 p^{ks}. N. of post
At post Cor. to Sec. 30 & 31, from which
a Beech 20 m. dia^r, bray N 40 W 4 p^{ks}. dist. of
a Do. 12 " " " S 30 W 14 " "
Land hilly 2^o rate, timber Beech, Ash, Elm
undngth. Spruce &c.

West Between Sec. 19 & 30

24.00 a Beech 30 m. dia^r.

40.00 At g^r. Sec. post, from which
an Ash 6 m. dia^r, bray S 20 E 14 p^{ks}. dist. of
a Beech 5 " " " N 20 W 15 " "

59.50 an Ash 7 " "

76.84 Intersected N. boundary 28 p^{ks}. S. of post
At post Cor. to Sec. 19 & 30, from which
an Elm 24 m. dia^r, bray West 8 p^{ks}. dist. of
a Maple 24 " " " S. E. 12 " "
Land level & wet, timber Beech, Ash, Oak
&c. undngth. Spruce &c.

West Between Sec. 18 & 19

17.00 a Sugar 24 m. dia^r.

40.00 At g^r. Sec. post, from which

S 15 N N 10 E 2^d Mer. Indiana 317
ch. 1th

a Cherry 5 mi. dist. from N 20 E 6th dist. of
at Buckeye } " " " S 50 N 12 " "
62.50 a Beech 11 " "
76.32 Intersected N. boundary 35th S. of post
Set post Cor. to Sec. 18 & 19, from which
a Sugar 8 mi. dist. from South 10th dist. of
at Beech 14 " " " North 20 " "
Land good, timber Beech, Elm, Ash, Sugar
underg^g. Spruce &c.

West Between Sec. 7 & 18

22.50 a N. Ash 10 mi. dist.

40.00 Set g^g. Sec. post, from which
a Beech 4 mi. dist. from North 10th dist. of
a Do. 14 " " " East 25 " "

60.50 a Hickory 14 " "

75.88 Intersected N. boundary 104 S. of post.
Set post Cor. to Sec. 7 & 18, from which
a Beech 9 mi. dist. from S 30 E 12th dist. of
a Do. 4 " " " N 80 W 8 " "
Land level & wet, timber Beech, Ash, Oak &
Elm, underg^g. Spruce &c.

West Between Sec. 6 & 7

20.00 a Sugar 16 mi. dist.

40.00 Set g^g. Sec. post, from which
an Ironw^o. 6 mi. dist. from West 5th dist. of
a B. Oak 36 " " " S 30 W 15 " "

60.00 a N. Oak 36 " "

75.90 Intersected N. boundary 188th S. of post
Set post Cor. to Sec. 6 & 7, from which
a Beech 5 mi. dist. from South 6th dist. of
a Do. 12 " " " N 15 W 20 " "
Land 1st rate, Beech Ash, Elm, Sugar &c.
underg^g. Spruce. July 27th 1820

Andrew Wallace, A.S.

I Certify that the foregoing transcript of field notes
of Township N^o 15 North, Range N^o 10 East 2^d Mer.
Indiana, has been compared with the original
notes in this Office, and found to be correct.
Surveyor General's Office
Cincinnati, Novem. 7th 1842

William Johnston
Sur. Genl.